


# .32 ACP

Extremely popular in Europe where it is known as the 7.65mm Browning, the .32 ACP was first marketed by Fabrique Nationale about 1900. Virtually every European pistol manufacturer has chambered for it, as have several in the United States.



The .32 ACP is used in America primarily for back-up and self defense guns, while in Europe, it is considered appropriate as a primary police round.

The SAAMI Maximum Average Pressure for the .32 Auto is 20,500 P.S.I.

<b>.32 ACP</b>				
Gun	HS PRECISION	Max Length	0.680"	
Barrel Length	4"	Trim Length	0.660"	
Primer	CCI 500	OAL Max	0.984"	
Case	HDY	OAL Min	0.940"	

Bullet	START LOADS			MAXIMUM LOADS			P.S.I.	Cartridge Length	Comment
	Powder	Grains	Vel.	Powder	Grains	Vel.			
84 (L) RN	<b>No.2</b>	1.6	679	<b>No.2</b>	1.8	772	19,000	0.950"	RCBS-32ACP
	<b>No.5</b>	2.0	671	<b>No.5</b>	2.2	762	19,800		
SRA 71 FMJ	<b>No.2</b>	2.0	572	<b>No.2</b>	2.2	650	19,300	0.955"	
	<b>No.5</b>	2.9	619	<b>No.5</b>	3.2	703	19,700		
HDY 85 XTP	<b>No.2</b>	1.6	612	<b>No.2</b>	1.8	695	18,800	0.940"	
	<b>No.5</b>	2.2	615	<b>No.5</b>	2.4	699	19,100		