


9x18mm MAKAROV

Developed by the Soviets after WWII, this cartridge is not a true 9mm since Makarov pistols typically have a bore diameter of .365". The round is more comparable to the .380 than to the 9mm Luger in power.



The recent influx of inexpensive hand-guns chambered for the 9x18mm Makarov has prompted the development of loaded ammunition and reloading components.

There is currently no SAAMI pressure limit for the 9x18mm Makarov. Factory ammunition fired in our test barrel produced pressures of 21,600 C.U.P.

9x18mm MAKAROV				
Gun	HS	Max Length	.710"	
Barrel Length	3.75"	Trim Length	.700"	
Primer	WSP	OAL Max	.970"	
Case	STARLINE	OAL Min	--	

Bullet	START LOADS			MAXIMUM LOADS			C.U.P.	Cartridge Length	Comment
	Powder	Grains	Vel.	Powder	Grains	Vel.			
95 (L) RN	No.2	3.6	900	No.2	4.0	1023	17,200	0.955"	LY364653
	No.5	4.7	931	No.5	5.2	1058	17,200		
	No.7	6.5	921	No.7	7.2	1047	16,300		
HDY 95 XTP	No.2	3.8	918	No.2	4.2	1043	19,500	0.965"	
	No.5	5.0	936	No.5	5.6	1064	19,000		
	No.7	6.5	915	No.7	7.2	1040	18,100		
SRA 95 JHP	No.2	3.8	895	No.2	4.2	1017	17,900	0.965"	
	No.5	5.0	934	No.5	5.6	1061	19,400		
	No.7	6.5	919	No.7	7.2	1044	18,200		
SRA 100 FPJ	No.2	3.7	869	No.2	4.1	987	18,800	0.965"	
	No.5	4.7	853	No.5	5.2	969	16,600		
	No.7	6.5	907	No.7	7.2	1031	18,500		