


.38 SUPER AUTOMATIC (+P)

An updated, high pressure version of the .38 ACP. Its popularity improved dramatically when IPSC competitors found they could use **Accurate No.7** and **No. 9** with heavier bullets and make Major Power Factor.



The SAAMI Maximum Average Pressure for the .38 Super is 33,000 C.U.P.

.38 SUPER AUTOMATIC (+P)				
Gun	WILSON	Max Length	0.900"	
Barrel Length	5"	Trim Length	0.890"	
Primer	CCI 500	OAL Max	1.280"	
Case	PMC	OAL Min	1.220"	

Bullet	START LOADS			MAXIMUM LOADS			C.U.P.	Cartridge Length	Comment
	Powder	Grains	Vel.	Powder	Grains	Vel.			
115 (L) SWC	No.2	4.3	992	No.2	4.8	1133	33,000	1.285"	** Lane
	No.5	6.8	1115	No.5	7.6	1267	32,600		
	No.7	8.8	1162	No.7	9.8	1320	33,000		
	No.9	11.3	1209	No.9	12.5	1374	32,400		Compressed
125 (L) RN	No.2	4.6	1030	No.2	5.1	1171	33,000	1.220"	CP
	No.5	6.5	1100	No.5	7.2	1260	33,000		
	No.7	8.6	1133	No.7	9.6	1287	33,000		
	No.9	10.8	1177	No.9	12.0	1338	31,200		Compressed
130 (L) RN	No.2	4.0	970	No.2	4.4	1102	33,000	1.220"	Clements
	No.5	6.3	1043	No.5	7.0	1185	31,900		
	No.7	8.1	1095	No.7	9.0	1244	32,000		
	No.9	10.4	1106	No.9	11.5	1257	29,100		Compressed
140 (L) SWC	No.2	4.3	948	No.2	4.8	1077	32,500	1.340"	** CP
	No.5	6.2	1015	No.5	6.9	1158	33,000		
	No.7	7.8	1033	No.7	8.7	1180	33,000		
	No.9	9.9	1079	No.9	11.0	1226	30,400		
145 (L) RN	No.2	4.3	949	No.2	4.8	1078	33,000	1.250"	CP
	No.5	6.1	1028	No.5	6.8	1168	33,000		
	No.7	7.7	1025	No.7	8.5	1165	31,400		
	No.9	9.5	1062	No.9	10.5	1207	30,700		Compressed *

Bullet	START LOADS			MAXIMUM LOADS			C.U.P.	Cartridge Length	Comment
	Powder	Grains	Vel.	Powder	Grains	Vel.			
160 (L) RN	No.2	4.1	902	No.2	4.5	1025	32,500	1.250"	CP
	No.5	5.4	922	No.5	6.0	1048	33,000		
	No.7	7.2	981	No.7	8.0	1115	32,800	1.280"	* Compressed*
	No.9	8.6	982	No.9	9.5	1116	29,500		
SPR 90 JHP	No.2	5.2	1200	No.2	5.8	1379	33,000	1.195"	
	No.5	8.6	1370	No.5	9.6	1557	33,000		
	No.7	10.2	1324	No.7	11.3	1504	31,800		
IMI 95 FMJ	No.2	5.1	1161	No.2	5.7	1323	33,000	1.225"	
	No.5	8.2	1262	No.5	9.1	1434	31,500		
	No.7	10.3	1294	No.7	11.4	1471	31,700		
HDY 100 FMJ	No.2	5.3	1148	No.2	5.9	1300	33,000	1.240"	
	No.5	7.8	1252	No.5	8.7	1423	33,000		
	No.7	9.9	1270	No.7	11.0	1450	33,000	Compressed	
	No.9	12.2	1256	No.9	13.5	1427	29,300		
HDY 115 FMJ	No.2	5.1	1056	No.2	5.7	1200	32,200	1.240"	
	No.5	7.5	1162	No.5	8.3	1321	33,000		
	No.7	9.3	1186	No.7	10.3	1340	33,000	Compressed	
	No.9	11.7	1228	No.9	13.0	1395	32,800		
IMI 124 FMJ	No.2	4.9	1023	No.2	5.4	1163	32,200	1.245"	
	No.5	6.8	1079	No.5	7.6	1230	33,000		
	No.7	8.6	1111	No.7	9.6	1263	31,700	Compressed	
	No.9	11.3	1184	No.9	12.5	1346	33,000		
PMC 130 FMJ	No.2	4.7	978	No.2	5.2	1116	33,000	1.250"	
	No.5	6.6	1057	No.5	7.3	1201	33,000		
	No.7	8.3	1060	No.7	9.2	1209	33,000	Compressed	
	No.9	10.7	1148	No.9	11.9	1305	33,000		
RAN 130 RN	No.2	4.5	961	No.2	5.0	1093	30,100	1.280"	
	No.5	6.3	1011	No.5	7.0	1149	29,000		
	No.7	8.4	1087	No.7	9.4	1236	31,400	Compressed	
	No.9	9.9	1061	No.9	11.0	1206	27,100		
CP 135 FMJ	No.2	4.9	1000	No.2	5.2	1140	33,000	1.250"	
	No.5	6.3	1003	No.5	7.0	1140	31,400		
	No.7	8.3	1045	No.7	9.0	1190	33,000		
	No.9	9.6	1055	No.9	10.7	1199	27,100		
SPR 147 TMJ	No.2	4.4	913	No.2	4.9	1038	33,000	1.230"	
	No.5	6.1	970	No.5	6.8	1100	33,000		
	No.7	7.8	1008	No.7	8.7	1146	31,500		
	No.9	9.2	1034	No.9	10.2	1175	29,400		
CP 150 FMJ	No.2	4.3	913	No.2	4.8	1038	32,300	1.250"	
	No.5	5.9	946	No.5	6.5	1075	30,100		
	No.7	7.7	1010	No.7	8.5	1148	32,700		
	No.9	8.7	978	No.9	9.7	1111	27,900		

.38 SUPER AUTOMATIC (+P) (continued)

Bullet	START LOADS			MAXIMUM LOADS			C.U.P.	Cartridge Length	Comment
	Powder	Grains	Vel.	Powder	Grains	Vel.			
SRA 150 FMJ	No.2	4.8	932	No.2	5.3	1059	32,400	1.280"	*
	No.5	5.8	970	No.5	6.5	1100	33,000		
	No.7	7.6	975	No.7	8.5	1115	33,000		
	No.9	9.9	1082	No.9	11.0	1229	33,000		
HDY 158 JHP	No.2	3.9	850	No.2	4.3	970	33,000	1.250"	*
	No.5	5.6	903	No.5	6.2	1026	31,400		
	No.7	7.2	936	No.7	8.0	1064	31,000		
	No.9	8.7	986	No.9	9.7	1121	31,000		
RAN 151 RN	No.2	4.4	917	No.2	4.9	1043	31,100	1.280"	Compressed
	No.5	5.7	953	No.5	6.3	1083	30,700		
	No.7	7.7	1007	No.7	8.6	1145	30,900		
	No.9	8.9	955	No.9	9.9	1086	26,600		

* Major Power Factor
 ** Over SAAMI MAX OAL