


.257 ROBERTS (+P)

This data is only for use in modern firearms approved, by a gunsmith or manufacturer, for use with higher pressure +P ammo.



The SAAMI Maximum Average Pressure for the .257 Roberts +P is 58,000 P.S.I. Factory +P ammo produced 51,000 P.S.I. in our test barrel. These loads do not exceed that pressure.

.257 ROBERTS (+P)				
Gun	DOUGLAS	Max Length	2.233"	
Barrel Length	24"	Trim Length	2.213"	
Primer	CCI 200	OAL Max	2.775"	
Case	REM	OAL Min	2.620"	

Bullet	START LOADS			MAXIMUM LOADS			P.S.I.	Cartridge Length	Comment
	Powder	Grains	Vel.	Powder	Grains	Vel.			
SRA 75 HP	2520	36.9	2912	2520	41.0	3309	48,100	2.745"	
	4064	39.0	2966	4064	43.3	3370	51,000		
	2700	44.7	3119	2700	47.0	3318	48,600		
	4350	44.1	2966	4350	49.0	3370	47,200		
BAR 85-X	2520	35.1	2709	2520	39.0	3078	48,700	2.770"	
	4064	37.3	2750	4064	41.5	3125	49,000		
	2700	42.8	2959	2700	45.0	3148	48,700		
	4350	42.3	2802	4350	47.0	3184	48,900		
SRA 90 HPBT	2520	34.7	2692	2520	38.5	3059	48,200	2.735"	
	4064	37.3	2755	4064	41.5	3131	49,400		
	2700	41.8	2954	2700	44.0	3143	50,300		
	4350	42.3	2786	4350	47.0	3166	49,900		
NOS 100 BT	2520	33.8	2525	2520	37.5	2869	48,700	2.785"	*
	4064	36.0	2594	4064	40.0	2948	50,800		
	2700	40.9	2761	2700	43.0	2937	49,200		
	4350	41.9	2682	4350	46.5	3048	50,800		
BAR 100-X	2520	33.3	2475	2520	37.0	2813	49,900	2.760"	
	4064	35.1	2533	4064	39.0	2879	49,600		
	2700	39.0	2640	2700	41.0	2808	47,800		
	4350	39.6	2570	4350	44.0	2920	50,300		
	3100	43.2	2577	3100	48.0	2928	47,800		Compressed

.257 ROBERTS (+P) (continued)

Bullet	START LOADS			MAXIMUM LOADS			P.S.I.	Cartridge Length	Comment
	Powder	Grains	Vel.	Powder	Grains	Vel.			
SRA 117 SBT	2520	32.9	2357	2520	36.5	2678	49,300	2.775"	
	4064	33.7	2347	4064	37.5	2668	49,300		
	2700	39.0	2532	2700	41.0	2694	48,000		
	4350	39.6	2410	4350	44.0	2739	48,400		

* Over SAAMI Maximum OAL