


.32-20 WINCHESTER (HV-92)

The .32-20 Rifle was introduced by Winchester in 1882 for the Model 73 lever action rifle. It was originally a blackpowder cartridge which gained considerable popularity.



Practically every American lever rifle manufacturer has chambered for it at some time.

Although for many years popular with farmers, ranchers, and trappers, it cannot really be considered as an adequate cartridge for deer. It is, however, a very useful small game and varmint cartridge at moderate ranges and can be quite accurate when chambered in a good rifle. The .32-20 Winchester is both easy to reload and economical.

These loads were developed in a pressure barrel and then fired through a Marlin 1894 rifle with a 22" barrel for velocity. The maximum loads listed below do not exceed the pressures produced in our test barrel by Winchester factory ammunition headstamped for use in the Model 92 lever action. If your firearm is not safe for use with these "HV-92" loads, use the data for .32-20 handgun (not the Ruger / T/C data).

This data is intended only for firearms safe for use with smokeless propellants.

.32-20 WINCHESTER

Gun	MARLIN 1894	Max Length	1.315"
Barrel Length	22"	Trim Length	1.275"
Primer	CCI 400	OAL Max	1.592"
Case	REM	OAL Min	1.540"

Bullet	START LOADS			MAXIMUM LOADS			C.U.P.	Cartridge Length	Comment
	Powder	Grains	Vel.	Powder	Grains	Vel.			
100 (L) SWC/GC	No.5	5.7	1350	No.5	6.0	1436	23,300	1.585"	LY313631
	No.7	6.7	1357	No.7	7.0	1444	21,600		
	No.9	8.1	1454	No.9	8.5	1547	21,700		
	5744	8.8	1130	5744	9.3	1203	16,000		
	1680	13.3	1545	1680	14.0	1644	21,400		
	2015	16.2	1575	2015	17.0	1676	22,200		
SRA 90 JHC	No.5	5.9	1383	No.5	6.2	1471	21,100	1.565"	
	No.7	7.4	1497	No.7	7.8	1593	22,000		
	No.9	8.7	1568	No.9	9.2	1668	22,000		
	5744	9.2	1147	5744	9.7	1221	15,000		
	1680	15.7	1794	1680	16.5	1909	21,700		
	2015	17.1	1645	2015	18.0	1750	20,000		

.32-20 WINCHESTER (HV 92) (continued)

Bullet	START LOADS			MAXIMUM LOADS			C.U.P.	Cartridge Length	Comment
	Powder	Grains	Vel.	Powder	Grains	Vel.			
HDY 100 XTP	No.5	5.7	1332	No.5	6.0	1417	23,800	1.565"	Compressed
	No.7	7.0	1400	No.7	7.4	1489	22,700		
	No.9	8.4	1485	No.9	8.8	1580	22,800		
	5744	9.0	1159	5744	9.5	1233	15,500		
	1680	14.7	1738	1680	15.5	1849	23,600		
	2015	16.6	1653	2015	17.5	1758	22,000		