

20-Ga., Cowboy Action Loads					SOLO 1000		NITRO 100	
Shotshell Brand	Ounces Lead	Approx. Velocity Ft./Sec.	Primer Type	Wad	Grains Wt.	Approx. Pressure PSI	Grains Wt.	Approx. Pressure PSI
WIN AA	3/4	1037	WIN 209	WAA20	—	—	9.5	7400
		990	WIN 209	WAA20	10.4	7100	—	—
REM STS	3/4	1021	REM 209	WAA + 1-135	—	—	9.5	7400
		1030	REM 209	WAA + 1-135	10.5	7600	—	—
FED HI-P	3/4	1072	FED209A	WAA + 1-135	—	—	10.5	7500
		1042	FED209A	WAA + 1-135	11.0	7400	—	—

20-Ga., 2 <sup>3</sup> / <sub>4</sub> -IN. Shotshell Target and Field Loads						SOLO 1250	
Shotshell Brand	Ounces Lead	Dram Equivalent	Approx. Velocity Ft./Sec.	Primer Type	Wad Type	Grains Solo 1250	Approx. Pressure PSI
Winchester AA (one-piece) 8-point crimp	7/8	2 <sup>1</sup> / <sub>4</sub>	1155	WIN 209	WAA20	14.0	11400
				WIN 209	REM RXP 20	14.5	10300
				WIN 209	P.C. 20	14.5	9900
	7/8	SKEET	1200	WIN 209	P.C. 20	15.5	11800
				WIN 209	WAA20F1	15.0	12000
				WIN 209	REM RXP 20	15.5	11500

**SHOTSHELL DATA****61****SHOTSHELL DATA**

20-Gauge 2 <sup>3</sup> / <sub>4</sub> " Shotshell Slug Data Lee Drive Key Slug					No. 5		No. 7	
Shotshell Brand	Slug Wt. Ounces	Velocity Ft./Sec.	Primer	Wad	Grains Wt.	Approx. Pressure PSI	Grains Wt.	Approx. Pressure PSI
ACTIV	3/4 oz.	1569	WIN 209	FED 20S1 + .250" FELT WAD	—	—	32.0	11900
FED TGT	3/4 oz.	1492	WIN 209	FED 20S1 + .250" + .125"	26.0	11900	—	—
REM TGT	3/4 oz.	1518	WIN 209	FED 20S1 + .500" CORK WAD	—	—	30.0	11500
WIN AA	3/4 oz.	1565	WIN 209	FED 20S1 + .250" FELT WAD	—	—	32.0	11900

20-Ga., 2 <sup>3</sup> / <sub>4</sub> -IN. Shotshell Target and Field Loads						SOLO 1250		
Shotshell Brand	Ounces Lead	Dram Equivalent	Approx. Velocity Ft./Sec.	Primer Type	Wad Type	Grains Solo 1250	Approx. Pressure PSI	
Winchester Dove & Quail (polyformed with plastic base wad) 6-point crimp	7/8	2 <sup>1</sup> / <sub>4</sub>	1155	WIN 209	WAA20	17.5	10200	
				WIN 209	WAA20F1	17.5	9000	
				WIN 209	REM RXP 20	17.5	8900	
				WIN 209	P.C. 20	17.0	9300	
				WIN 209	WINDJAMMER	16.5	10000	
				CCI 209	WAA20	16.5	8800	
				REM209P	WAA20	16.5	9300	
				FED209A	WAA20	16.0	9400	
	7/8	SKEET	1200	WIN 209	WAA20	18.5	10700	
				WIN 209	REM RXP 20	18.5	10800	
				CCI 209	WAA20	18.5	10800	
				REM209P	WAA20	18.5	10400	
	Remington STS (one-piece) 8-point crimp	7/8	2 <sup>1</sup> / <sub>4</sub>	1155	REM209P	REM RXP 20	16.0	10200
					REM209P	REM SP20	16.0	10000
REM209P					WAA20	16.0	10800	
REM209P					WINDJAMMER	16.0	10400	
REM209P					REM RXP 20	17.0	11200	
WIN 209					REM RXP 20	17.0	11400	
FED209A					REM RXP 20	17.0	11400	
FED209A					REM RXP 20	17.0	11400	
Federal Hi-Power and Target (two-piece with plastic base wad) 6-point crimp	7/8	2 <sup>1</sup> / <sub>4</sub>	1155	FED209A	FED 20S1	18.0	8900	
				FED209A	REM RXP 20	18.5	8700	
				FED209A	P.C. 20	18.5	8800	
				FED209A	WINDJAMMER	18.0	9100	
				FED209A	W-28	18.5	8400	
				CCI 209	FED 20S1	18.5	8900	
				WIN 209	FED 20S1	18.0	9100	
	7/8	SKEET	1200	FED209A	FED 20S1	19.0	9900	
				FED209A	REM RXP 20	19.5	10400	
				FED209A	P.C. 20	19.5	10100	
				CCI 209	FED 20S1	19.5	10400	
				WIN 209	FED 20S1	19.0	10500	
ACTIV Industries 6-point crimp	7/8	2 <sup>1</sup> / <sub>4</sub>	1155	WIN 209	W-28	17.5	8700	
				WIN 209	P.C. 20	18.0	8900	
				WIN 209	WINDJAMMER	17.5	9200	
				CCI 209	W-28	18.0	9400	
				FED209A	W-28	17.5	9900	
	7/8	SKEET	1200	WIN 209	W-28	18.5	10600	
				WIN 209	P.C. 20	19.0	10400	
				WIN 209	WINDJAMMER	18.5	10800	
				CCI 209	W-28	19.0	10400	
				FED209A	W-28	18.5	10300	